	Туре	Hits	Search Text	DBs
1	BRS	635	349/2	US- PGPUB; USPAT; EPO; JPO
2	BRS	268	polymer ADJ memory	US- PGPUB; USPAT; EPO; JPO
3	BRS	0	S1 and S2	US- PGPUB; USPAT; EPO; JPO
4	BRS	56	display and \$2	US- PGPUB; USPAT; EPO; JPO
5	BRS	37	S4 and @ad<="20031116"	US- PGPUB; USPAT; EPO; JPO
6	BRS	174039	liquid ADJ crystal ADJ display	US- PGPUB; USPAT; EPO; JPO
7	BRS	148	memory ADJ (cell system) with polymer	US- PGPUB; USPAT; EPO; JPO
8	BRS	214	memory ADJ (cell system) with polymer	US- PGPUB; USPAT; EPO; JPO

	Туре	Hits	Search Text	DBs
9	BRS	2	(S6 and S8) not S5	US- PGPUB; USPAT; EPO; JPO
10	BRS	416	memory ADJ (cell system) same polymer	US- PGPUB; USPAT; EPO; JPO
11	BRS	7	(S6 and S10)	US- PGPUB; USPAT; EPO; JPO
12	BRS	4	S11 not (S5 S9)	US- PGPUB; USPAT; EPO; JPO
13	BRS	296	memory ADJ (cell system) and S6 and polymer	US- PGPUB; USPAT; EPO; JPO
14	BRS	289	S13 not (S5 S9 S12)	US- PGPUB; USPAT; EPO; JPO
15	BRS	262	S14 and @ad<="20031116"	US- PGPUB; USPAT; EPO; JPO
16	BRS	18	S2 and pixel	US- PGPUB; USPAT; EPO; JPO

•	Туре	Hits	Search Text	DBs
17	BRS	11	S16 not (S5 S9 S12)	US- PGPUB; USPAT; EPO; JPO
18	BRS	7	\$17 and @ad<="20031116"	US- PGPUB; USPAT; EPO; JPO
19	BRS	13	S2 and active ADJ matrix	US- PGPUB; USPAT; EPO; JPO
20	BRS	6	S19 not (S5 S9 S12 S18)	US- PGPUB; USPAT; EPO; JPO
21	BRS	4	S20 and @ad<="20031116"	US- PGPUB; USPAT; EPO; JPO
22	BRS	1	10/685453	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB